European Network on New Sensing Technologies for Air Pollution Control and Environmental Sustainability - *EuNetAir* COST Action TD1105

Special Session: Environmental Case Studies from Mediterranean, Central and Eastern Europe

Duisburg, Germany, 4 - 6 March 2013 Action Start date: 01/07/2012 - Action End date: 30/06/2016 Year: 2012-2013 (*Starting Action*)



Zita Ferenczi

(MC Member, WG3, SIG4 Member)

Hungarian Meteorological Service / Hungary

Scientific context and objectives

• Background / Problem statement:

- Air pollution monitoring
 - In background Hungarian Meteorological Service
 - In cities Regional Inspectorates for the protection of air, water and nature
- Air quality modeling (on different time and spatial scale)
 - Long-range transport model EMEP
 - Decision support models FLEXPART
 - Regulatory type model AERMOD (+EDMS)
 - Chemical transport model CHIMERE

• Brief reminder of objectives:

- Contribution to the WG3 objectives
 - Environmental measurements at laboratory and in field air quality stations
 - Air quality modeling and chemical weather forecasting
- Contribution to the SIG4 objectives
 - Expert comments for the revision of the Air Quality Directive

Air pollution monitoring

• What is the aim of this activity?

- focus on air quality and environment
- focus on air quality and human health

• In the background

- identify the impacts of air pollution on ecosystems, human health, materials and climate change
- detect the long-range transport of air pollutants

In the urban areas

- follow the concentration levels of toxic pollutants in the urban atmosphere
- monitor air pollutants relevant to human health (protect the health of human beings)



International regulations of the background monitoring activity

• EMEP

- Monitoring strategy: 2010-2019
- main objectives: identify the <u>impacts of air pollution on ecosystems</u>, human health, materials and climate change
- laboratory intercomparison (air/aerosol an precipitation samples)
- national data providers
- WMO Global Atmosphere Watch (GAW)
 - Strategic plan: 2008-2015
 - main objectives: detection of long-term man-made trends in the concentration of greenhouse gases and aerosols related to <u>climate change</u>
 - WMO/GAW recommendation for
 - precipitation network (GAW Report No 158 and GAW report No 172)
 - aerosol network (GAW report No. 153)
 - laboratory intercomparison (precipitation samples)
 - national data providers

European regulations of urban monitoring activity

- Ambient Air Quality and Cleaner Air for Europe (CAFE) Directive (2008/50/EC)
 - will be updated soon
- European Environment Agency (EEA)
- European Environment Information and Observation Network (Eionet)
- Aquila Network of National Air Quality Reference Laboratories
 - provide expert judgement
 - promote the harmonization of air quality measurements
 - method development and validation
 - participate in standardization activities



Harmonization of Measurements

• Inspiration:

- Monitoring activity is expensive
- Do not measure the same components parallel

• Expectation:

- harmonization of urban and background measurements as far as possible

• Question:

- the aim of the monitoring programs are different (how can we harmonize)
- Different concentration levels of the same pollutants in different conditions
- Different type of pollutants are in the focus



Background Air Pollution Monitoring Network of Hungary





Monitoring program of K-puszta

- Trace gases:
 - SO₂, NO₂, O₃, NH₃, HNO₃
- <u>Aerosols</u>:
 - sulfate, nitrate, ammonium, sodium, potassiui
 - calcium, magnesium, heavy metals , PM₁₀, PM_{2.5}
- Inorganic compounds in precipitation:
 - pH, conductivity, sulfate, nitrate, ammonium, chloride, sodium magnesium, calcium, potassium, heavy metals
- K-puszta is our reference station, member of the EMEP and WMO/GAW network.
- The monitoring program of this station is the widest.

EUROPEAN COOPERATION IN SCIENCE AND TECHNOLOGY



Monitoring and Modeling, as a tool to study the air quality

• Air quality monitoring

- Accurate, continuous is time, but point-wise in space
- Monitoring strategy attempts to improve spatial coverage: station sites should represent larger areas
- expensive

• Air quality modeling

- less accurate, but provide spatial distributions of pollutant concentrations
- different spatial scales required different approximations
- cheaper
- combination the advantages of the two different tools
 - Provide more complete assessment of the air quality situation



Air Quality Modeling in Hungary

(The models which results we use or which we run)

- Long-range transport model:
 - EMEP
- Regulatory model:
 - AERMOD, (+ EDMS)
- Lagrangian particle dispersion model (Decision support in case of accident):
 - FLEXTRA and FLEXPART



Chemical weather forecast for Budapest

- To develop a WEB based chemical weather forecasting and information system for Budapest
- Chemical transport model CHIMERE
- Emission data
 - Point sources power plants
 - Area sources (3 km x 3 km)
 - domestic heating
 - industrial processes
 - traffic 2004 official traffic count data
- Meteorological data
 - WRF (AROME) numerical weather prediction models
- Visualization HAWK (Hungarian Advanced WorKstation)
 - visualization system developed and used by HMS



Chemical weather forecast for Budapest maps



Chemical weather forecast for Budapest diagrams



Validation of the system

- 23 months of model run + 11 air quality monitoring stations data
- The O₃ forecast much better than the PM₁₀ forecast
- Find the weaknesses of the system
- After the validation we have to make correction on the system
 - improve the meteorological forecast
 - impove the gridded emission data
 - enlarge the calculation area to minimize the effect of boundary conditions



Validation of PM₁₀ forecast – rel. BIAS (%)



Rel. BIAS (%)

Validation of PM_{10} forecast - correlation



EUROPEAN COOPERATION IN SCIENCE AND TECHNOLOGY

Validation of O₃ forecast – rel. BIAS (%)



Rel. BIAS (%)

Validation of O₃ forecast - correlation



Conclusions and future plans

• Air pollution monitoring :

- We measure the background air pollution in Hungary under the regulations of EMEP and GAW
- K-puszta: EMEP "1 level monitoring station", GAW "regional station"
- laboratory analysis of the air, aerosol and precipitation samples
- Monitors: O_3 and $PM_{10}/PM_{2.5}$
- Plan to improve the measurements of $PM_{10}/PM_{2.5}$
 - new PM_{2.5} High-Volume Sampler (only daily samples)

• Air quality modeling:

- human resource shortage
 - 1 staff in this field
 - PhD students should involved into the research activity
- Short-term Research Plan:
 - Predictability analysis of PM₁₀ concentration
 - ✓ Determine the most important meteorological parameters affecting PM₁₀ concentration
 - Improve the chemical weather forecast system

EUROPEAN COOPERATION IN SCIENCE AND TECHNOLOGY

Thank you for your attention!

